Oralo Mouth Wash

MANUFACTURER <u>PSP</u> RESEARCH I PVT SALT COMPOSITION <u>ChlorOralo Gluconate (0.2% w/v)</u> STORAGE Store below 30°C Click here to view all substitutes

> • 1 • 2

PRODUCT INTRODUCTION

Oralo Mouth Wash is used in the treatment of inflammation of gums. It kills the harmful microorganisms in the oral cavity that cause swollen gums, and tartar, bad odor from the mouth. This way it cleans the affected area and speeds up healing.

Oralo Mouth Wash should be used exactly as prescribed by your doctor. Follow the doctor's instructions or use it in the dose and duration suggested by the doctor. Do not stop using it until you have finished the complete course, even when you feel better. You must have to avoid eating, drinking, or smoking for at least 30 minutes after using it.

It is a safe medicine with little or no side effects. However, it may cause staining of teeth, hard dental plaque, and taste change in some people. Inform your doctor if bothers you or does not go away.

It is not likely that other medicines you take by mouth or gel will affect the way it works but talk to your doctor before using it if you have used a similar medicine before and had an allergic reaction.

USES OF ORALO MOUTH WASH

• Treatment of Mouth infection

BENEFITS OF ORALO MOUTH WASH

In Treatment of Mouth infection

Whenever there is an overgrowth of microorganisms in our mouth, that are otherwise normally present, it can lead to unpleasant symptoms suggestive of mouth infection. These symptoms include bad breath, swollen gums, unpleasant taste changes, sensitivity of teeth to hot or cold food/liquid etc. Oralo Mouth Wash kills and prevents the growth of these bacteria, thereby relieving these symptoms. This helps in maintaining good oral hygiene.

Poor oral hygiene can be extremely embarrassing and can affect your social life. This medicine helps restore your self-confidence and makes it easier for you to go about your daily activities. Continue using it as advised by the doctor to get maximum benefit.

SIDE EFFECTS OF ORALO MOUTH WASH

Most side effects do not require any medical attention and disappear as your body adjusts to the medicine. Consult your doctor if they persist or if you're worried about them

Common side effects of Oralo

- Taste change
- Staining of teeth
- Hard Dental Plaque

HOW TO USE ORALO MOUTH WASH

Check the label before use. Take the mouthwash in the quantity as advised by your doctor and put it in your mouth. Swish for 30 seconds to 1 minute and spit it. Do not swallow. Avoid eating, drinking, or smoking for at least 30 minutes after rinsing.

HOW ORALO MOUTH WASH WORKS

Oralo Mouth Wash is an antiseptic that binds strongly to the surface of teeth, inner cheeks, and gums. It works by killing the harmful microorganisms that cause swollen gums, tartar, bad odor from the mouth, and other mouth infections.

SAFETY ADVICE



Alcohol No interaction found/established



Pregnancy

SAFE IF PRESCRIBED

Oralo Mouth Wash is generally considered safe to use during pregnancy. Animal studies have shown low or no adverse effects to the developing baby; however, there are limited human studies.



Breast feeding

SAFE IF PRESCRIBED

Oralo Mouth Wash is probably safe to use during breastfeeding. Limited human data suggests that the drug does not represent any significant risk to the baby.



Driving No interaction found/established



Kidney No interaction found/established



Liver No interaction found/established

WHAT IF YOU FORGET TO TAKE ORALO MOUTH WASH? If you miss a dose of Oralo Mouth Wash, please consult your doctor.

All substitutes

For informational purposes only. Consult a doctor before taking any medicines.

Oralo Mouth Wash ₹58/Mouth Wash

Clohex Mouth Wash

Dr Reddy's Laboratories Ltd

Fresh 24 Mouth Wash

JV Healthcare

Orojen 0.2% Mouth Wash

Jenfer Biosciences Pvt Ltd

₹148.75/mouth wash 128% costlier

₹75/mouth wash 15% costlier

₹99/mouth wash 52% costlier

Guard 0.2% Oral Rinse

Group Pharmaceuticals Ltd