

Oxiglow Gel

Prescription Required

Name PSP RESEARCH PVT I LTD

Address: GURUGRAM, HY INDIA

SALT COMPOSITION

[Adapalene \(0.1% w/w\) + Benzoyl Peroxide \(2.5% w/w\)](#)

STORAGE

Store below 25°C

PRODUCT INTRODUCTION

Oxiglow 0.1%/2.5% Gel is a prescription medicine having combination of medicines that are used to treat acne. It removes the dead layer of the skin which is present on the top. It stops the growth of bacteria.

Oxiglow 0.1%/2.5% Gel should be used in the dose and duration as advised by your doctor. It is for external use only. Wash your hands before using this medicine. Apply only on the affected areas of the skin. It is advised to check the label for directions before use. The most common side effects include skin irritation, itchiness and burning, and sensation at the application site.

If this side effect persist for a longer duration, inform your doctor. In case by accident, this medicine goes into your eyes, ears, nose or mouth, immediately rinse it with water. Inform your doctor if you notice darkening or discoloration, or severe burning sensation at the treated skin.

Inform your doctor if you have known allergies from this medicine. If you are pregnant or breastfeeding suffering from any other condition, please inform your doctor.

USES OF OXIGLOW GEL

- [Acne](#)

BENEFITS OF OXIGLOW GEL

In Acne

Oxiglow 0.1%/2.5% Gel helps treat acne by reducing the production of excessive oil in the skin. This helps keep your pores open and prevent further acne breakouts. It helps reduce redness and swelling around acne and promotes healing. It also helps reduce acne blemishes and gives you a smoother looking skin. Oxiglow 0.1%/2.5% Gel usually takes a few weeks to have a noticeable effect so keep using it even if it appears not to be working. This medicine will help improve your mood and uplift your confidence as acne reduces.

SIDE EFFECTS OF OXIGLOW GEL

Most side effects do not require any medical attention and disappear as your body adjusts to the medicine. Consult your doctor if they persist or if you're worried about them

Common side effects of Oxiglow

- Erythema (skin redness)
- Burning sensation
- Scaling
- Stinging sensation

HOW TO USE OXIGLOW GEL

This medicine is for external use only. Use it in the dose and duration as advised by your doctor. Check the label for directions before use. Clean and dry the affected area and apply the gel. Wash your hands after applying, unless hands are the affected area.

HOW OXIGLOW GEL WORKS

Oxiglow 0.1%/2.5% Gel is a combination of two medicines: Adapalene and Benzoyl Peroxide, which treats acne (pimples). Adapalene is a form of vitamin A and Benzoyl Peroxide is a keratolytic medicine. Together, they prevent accumulation of the sebum (skin's natural oil), unblock the pores and allow natural exfoliation of the outer layers of skin. Benzoyl Peroxide additionally penetrates into the skin and kills acne-causing bacteria.

SAFETY ADVICE



Alcohol

No interaction found/established



Pregnancy

CONSULT YOUR DOCTOR

Oxiglow 0.1%/2.5% Gel may be unsafe to use during pregnancy. Although there are limited studies in humans, animal studies have shown harmful effects on the developing baby. Your doctor will weigh the benefits and any potential risks before prescribing it to you. Please consult your doctor.



Breast feeding

SAFE IF PRESCRIBED

Oxiglow 0.1%/2.5% Gel is probably safe to use during breastfeeding. Limited human data suggests that the drug does not represent any significant risk to the baby.



Driving

No interaction found/established



Kidney

No interaction found/established



Liver

No interaction found/established

WHAT IF YOU FORGET TO TAKE OXIGLOW GEL?

If you miss a dose of Oxiglow 0.1%/2.5% Gel, apply it as soon as possible. However, if it is almost time for your next dose, skip the missed dose and go back to your regular schedule. Do not double the dose.
